

Deviprasad Goenka Management College of Media Studies (DGMC) RSET Campus, S. V. Road, Malad (w), Mumbai 400 064, Maharashtra, India

4.1.3. Number of classrooms and seminar halls with ICT- enabled facilities such as smart class, LMS, etc.

4.1.3.1: Number of classrooms and seminar halls with ICT facilities

Year	2023-2024
Number of Classrooms	16

Data Requirements: (As per Data Template)

- Number of classrooms with LCD facilities
- Number of classrooms with Wi-Fi/LAN facilities
- Number of smart classrooms
- Number of classrooms with LMS facilities
- Number of seminar halls with ICT facilities







Infr	a Structure	2023- 20	2023- 2024						
Sr No	Roon Name / Type	Roo m No	Room Name / User Name	HW Typ e	Asset Number	Workin	Speaker s	Interne t	Remark
DGI	MC 4th Floo	r Class	Rooms						
1	Class	481	Dadasaheb Phalke	CO M	CZ3	ОК	ОК	ОК	Working
2			Flidike	PRO	77883	ОК	ОК	ОК	Working
3	Class	482	Prannoy Roy	CO M	58856	ОК	ОК	ОК	Working
4				PRO	21574	ОК	ОК	ОК	Working
5	Class	484	Alyque Padamsee	CO M	88127	ОК	ОК	ОК	Working
6				PRO	81577	ОК	ОК	ОК	Working
7	Class	485	Satyajit Ray	CO M	21371	ОК	ОК	ОК	Working
8				PRO	11241	ОК	ОК	ОК	Working
DGI	MC 5th Floo	r Class	Rooms						
9	Library	581	The Knowledge Home	CO M	36297	ОК	ОК	ОК	Working
11	Mac Lab	582	IT & Design Lab	CO M	-				-
12				PRO	83385	ОК	ОК	ОК	Working
13	Mac Lab	582	Mac 1	MA C	24154	ОК	ОК	ОК	PC no 1 Working
14	Mac Lab	582	Mac 2	MA C	98462	ОК	ОК	ОК	PC no 2 Working







15	Mac Lab	582	Mac 3	MA C	51621	ОК	ОК	ОК	PC no 3 Working
16	Mac Lab	582	Mac 4	MA C	95172	ОК	ОК	ОК	PC no 4 Working
17	Mac Lab	582	Mac 5	MA C	72531	ОК	ОК	ОК	PC no 5 Working
18	Mac Lab	582	Mac 6	MA C	45236	ОК	ОК	ОК	PC no 6 Working
19	Mac Lab	582	Mac 7	MA C	73592	ОК	ОК	ОК	PC no 7 Working
20	Mac Lab	582	Mac 8	MA C	45799	ОК	ОК	ОК	PC no 8 Working
21	Mac Lab	582	Mac 9	MA C	43254	ОК	ОК	ОК	PC no 9 Working
22	Mac Lab	582	Mac 10	MA C	69631	ОК	ОК	ОК	PC no 10 Working
23	Mac Lab	582	Mac 11	MA C	25872	ОК	ОК	ОК	PC no 11 Working
24	Mac Lab	582	Mac 12	MA C	14876	ОК	ОК	ОК	PC no 12 Working
25	Mac Lab	582	Mac 13	MA C	27264	ОК	ОК	ОК	PC no 13 Working
26	Mac Lab	582	Mac 14	MA C	32131	ОК	ОК	ОК	PC no 14 Working
27	Mac Lab	582	Mac 15	MA C	82318	ОК	ОК	ОК	PC no 15 Working
28	Mac Lab	582	Mac 16	MA C	11942	ОК	ОК	ОК	PC no 16 Working
29	Mac Lab	582	Mac 17	MA C	58891	ОК	ОК	ОК	PC no 17 Working







30	Mac Lab	582	Mac 18	MA C	41552	ОК	ОК	ОК	PC no 18 Working
31	Mac Lab	582	Mac 19	MA C	57915	ОК	ОК	ОК	PC no 19 Working
32	Mac Lab	582	Mac 20	MA C	87844	ОК	ОК	ОК	PC no 20 Working
33	Mac Lab	582	Mac 21	MA C	94554	ОК	ОК	ОК	PC no 21 Working
34	Mac Lab	582	Mac 22	MA C	37386	ОК	ОК	ОК	PC no 22 Working
35	Mac Lab	582	Mac 23	MA C	78334	ОК	ОК	ОК	1st Floor D.G Room
36	Sound Lab	583	Sound Innovation	MA C	84295	ОК	ОК	ОК	Working
37			Lab	PRO	-	ОК	ОК	ОК	-
38	Class	584	Gerson Dcunha	CO M	78514	ОК	ОК	ОК	Working
39				PRO	31351	ОК	ОК	ОК	Working
40	Class	585	Lata Mangeshkar	CO M	53793	ОК	ОК	ОК	Working
41				PRO	26491	ОК	ОК	ОК	Working
DGI	MC 6th Floo	r Class	Rooms						
42	Faculty Area	681	Sahil Malik	MA C	41667	ОК	ОК	ОК	6th Floor Staff room / working
43			Divya.tinna	CO M	46748	ОК	ОК	ОК	6th Floor Staff room / Divya
44			Sravani	CO M	87887	ок	ОК	ОК	1st Floor Staff room / Shravni







45	Viraj	CO M	57366	ОК	ОК	ОК	6th Floor Staff room / Prof.Viraj
46	Prasoon.Prabhak ar	CO M	88823	ОК	ОК	ОК	6th Floor Staff room / Prof.Prasoon
47	Bhavya Kotian	CO M	53176	ОК	ОК	ОК	6th Floor Staff room / Prof.Bhavya
48	Nisha Dahiya	CO M	66433	ОК	ОК	ОК	6th Floor Staff room / Prof.Nisha
49	Nilanksha.Sachde v	CO M	96532	ОК	ОК	ОК	6th Floor Staff room / Prof.Nilanksha
50	IT Bhushan	CO M	92231	ОК	ОК	ОК	6th Floor Staff room / IT
51	Spare	CO M	25386	ОК	ОК	ОК	6th Floor Staff room / IT Spare
52	Spare	CO M	61551	ОК	ОК	ОК	6th Floor Staff room / Spare
53	Spare	CO M	CZ22	ОК	ОК	ОК	6th Floor Staff room / Spare
54	Rajeshwari V	CO M	CZ35	ОК	ОК	ОК	6th Floor Staff room / Rajeshwari V
55	Spare	CO M	19219	ОК	ОК	ОК	6th Floor Staff room / Spare
56	Kanchan (Spare)	CO M	74254	ОК	ОК	ОК	6th Floor Staff room / Spare







57				CO M	35861	NA	NA	NA	Not Available
58			Deveeka.Shetty	CO M	91854	ОК	ОК	ОК	6th Floor Staff room / Prof.Deveeka
59			Chandroday (Spare)	CO M	49221	ОК	ОК	ОК	6th Floor Staff room / Spare
60			Spare	CO M	73762	ОК	ОК	ОК	6th Floor Staff room / Spare
61				LAP	84628	ОК	ОК	ОК	1st Floor Staff room / HP
62				LAP	43966	ОК	ОК	ОК	1st Floor Staff room / Samsung
63				PRO	-				-
64	Color Grading	682	Color Grading Lab	MA C	74422	ОК	ОК	ОК	Working
65	Lab			PRO	-				Not Available
66				CO M	49596	ОК	ОК	ОК	Not Available
67	Exam Room	683	Mark Tully	CO M	96779	ОК	ОК	ОК	Working
68				PRO	81577	ОК	ОК	ОК	Stand By 1st Floor
69	Seminar Hall	684	Madhoprasad Saraf	CO M	94791	ОК	ОК	ОК	Working
70	ı Iali		Salai	PRO	76717	ОК	ОК	ОК	Working
DGI	MC 7th Floo	r Class	Rooms						
71	Studio	781		MA C	84191	ОК	ОК	ОК	Working







72				PRO	-				-
73	Class	782	Raj Kapoor	CO M	54765	ОК	ОК	ОК	Working
74	-			PRO	76127	ОК	ОК	ОК	Working
75	Class	783	Gulzar	CO M	82542	ОК	ОК	ОК	Working
77				PRO	39341	ОК	ОК	ОК	Working
78	Class	784	V Shantaram	CO M	84532	ОК	ОК	ОК	Working
79	-			PRO	52255	ОК	ОК	ОК	Working
DGI	MC 1st Floo	r Admi	n Office						
80	Admin	184	Conf. Room	PRO	43872	ОК	ОК	ОК	1st Floor Conf. Room
81	Admin		Devendra Koli	CO M	52791	ОК	ОК	ОК	Devendra Koli
82	Admin			CO M	23965				Not Available
83	Admin		Principal Cabin	CO M	11672	ОК	ОК	ОК	1st Floor / Principn Cabin
84	Admin		Suchit Sawant	CO M	11361	ОК	ОК	ОК	1st Floor / Suchit Sawant
86	Admin		Registrar	CO M	12553	ОК	ОК	ОК	Registrar
87	Admin		Sarika Shah	CO M	84921	ОК	ОК	ОК	1st Floor / Sarika Shah
88	Admin		Toshiba	LAP	64384	ОК	ОК	ОК	1st Floor / Toshiba
89	Admin		Samsung	LAP	93959	ОК	ОК	ОК	Samsung IT







90	Admin		Dell	LAP	72727	ОК	ОК	ОК	1st Floor / Dell
91	Admin		DEII	LAP	87846	ОК	ОК	ОК	1nd Floor / Dell
92	Admin		Sunita	LAP	11915	ОК	ОК	ОК	1st Floor / Sunita / Dell
93	Admin		Vinayak	СОМ	CZ16	ОК	ОК	ОК	1st Floor / Vinayak Nagula
94	Admin		Principal Cabin	THI N	11672	ОК	ОК	ОК	1st floor / Principal Cabin
95	Admin		D G Room	THI N	88739	ОК	ОК	ОК	1st floor / D.G Room
96	Library		Chandrashekhar Dubey	THI N	36297	ОК	ОК	ОК	5th Floor Laibrary
	Other Hardware								
97	7th Floor	722		NS W	91249	ОК	ОК	ОК	Working
98	6th Floor	722		NS W	88853	ОК	ОК	ОК	Working
99	6th Floor	722		NS W	CN23FP743 D	ОК	ОК	ОК	Working
10 0	5th Floor	722		NS W	96819	ОК	ОК	ОК	Working
10 1	5th Floor	722		NS W	99669	ОК	ОК	ОК	Working
10 2	5th Floor	722		NS W	26664	ОК	ОК	ОК	Working







10 3	4th Floor	722		NS W	76987	ОК	ОК	ОК	Working
10 4	1st Floor	722	Principal Cabin	NS W	12497	ОК	ОК	ОК	Working
10 5	1st Floor	722	Staff Passge	NS W	62162	ОК	ОК	ОК	Working
10 6	6th Floor	722	Exam Room	NS W	68489	ОК	ОК	ОК	Working
10 7	7th Floor			DVR	78233	ОК	ОК	ОК	172.16.18.127
10 8	6th Floor			DVR	52882	ОК	ОК	ОК	172.16.18.144
10 9	5th Floor			DVR	99532	ОК	ОК	ОК	172.16.18.126
11 0	4th Floor			DVR	73742	ОК	ОК	ОК	172.16.18.145
11 1	1st Floor		Principal Cabin	TV	85111	ОК	ОК	ОК	VU Working
11 2	1st Floor		D.G Room	TV	21969	ОК	ОК	ОК	VU Working
11 3	Ground Floor		Recxeption	ВІО	84857	ОК	ОК	ОК	172.16.249.58 Working
11 4	6th Floor	722	Amethyst C21	PRN	22257	ОК	ОК	ОК	HP M1213nf mfp 172.16.249.21 7
11 5	6th Floor		Class Passage	PRN	87152	ОК	ОК	ОК	HP M128fn 172.16.252.70
11 6	5th Floor		Class Passage	PRN	38424	ОК	ОК	ОК	HP Deskjel 1510 USB







11 7	1st Floor		Class Passage	PRN	49316	ОК	ОК	ОК	HP M1213nf mfp 172.16.249.22 8
11 8	1st Floor		Principal Cabin	PRN	51248	ОК	ОК	ОК	HP advantage 4645 USB
11 9	1st Floor		Principal Cabin	WA P	29142	ОК	ОК	ОК	zyxel 172.16.249.1
12 0	1st Floor		Staff Room	WA P	78761	ОК	ОК	ОК	zyxel 172.16.49.21
12 1	4th Floor		Passage	WA P	46731	ОК	ОК	ОК	zyxel 172.16.249.17
12 2	5th Floor		Passage	WA P	65279	ОК	ОК	ОК	zyxel 172.16.251.22
12 3	6th Floor		Passage	WA P	16721	ОК	ОК	ОК	zyxel 172.16.249.14
12 4	7th Floor		Passage	WA P	83363	ОК	OK	ОК	zyxel 172.16.249.2
Sun	nmery								
SR	No of Units installed		Hardware Sttaus			100%		Average	2 %
1	НҮ Туре	Code	Count	ОК	Bad	%		Satisfac	tion Remark
2	Computer s	СОМ	39	39	0	100%		ОК	
3	Laptop	LAP	7	7	0	100%		ОК	







4	Mac Machines	MAC	27	27	0	100%	ОК
5	Thin Client	THIN	3	3	0	100%	ОК
6	Projectors	PRO	17	17	0	100%	ОК
7	Printers	PRN	5	5	0	100%	ОК
8	TV	TVS	0	0	0	100%	ОК
9	Web Cam	CAM	0	0	0	100%	ОК
10	WiFI Aps	WAP	6	6	0	100%	ОК
11	Bio Metric Att	BIO	1	1	0	100%	ОК
12	NW Switch	NSW	10	10	0	100%	ОК
13	CCTV DVR	DVR	4	4	0	100%	ОК
	Total		119	119	0	100%	ОК
Pre	pared, Chec	ked By	1			I	
IT S	upport		IT Support SR		IT Manager		GM IT
Bhu	shan		Dinesh Desai		Nagesh		Ranjit
Ver	ified and Ap	prove	d By		1		1
Reg	istrar DGM0						Principal DGMC







Yashwant Baing	Dr. Amee Vora



